

# IGP-114

## Industrial oil

### DESCRIPTION

Blended with high-quality base stocks and progressive additives the oil provides excellent lubrication in hydraulic systems of heavy presses, automatic transfer lines, medium duty gears and worm gears, as well as circulating oil systems in industrial machinery. The lubricants exhibit enhanced resistance to oxidation and wear.

### BENEFITS

- Improved lubrication and corrosion protection
- Good oxidation and foam resistance and extended lubricant life
- Provides reliable operation and increased capacity

### SPECIFICATIONS AND APPROVALS

Classification in accordance with GOST 17479.4-87: complies with I-T-S-220.

### TYPICAL PROPERTIES

Viscosity, cSt @ 40 <sup>0</sup> C	191
VI	88
Flash Point COC, <sup>0</sup> C	262
Pour Point, <sup>0</sup> C	-15
Acid Number, mg KOH/g	0.77
Sulphated Ash, %	0.11
Density @ 20 <sup>0</sup> C, g/cm <sup>3</sup>	0.893
Color	4.5

Manufacturer: Gazpromneft Omsk Lubricants Plant, 1 Pr. Gubkina, Omsk 644040 Russia.

While the information and figures given here are typical of current production and conform to specification, minor variations may occur. No warranty expressed or implied is given concerning the accuracy of the information or the suitability of the products.

10.12.2013